


AICA



veltouch[®]
High Pressure Laminate
洁柔抗指纹板 表面饰材

Veltouch® 洁柔抗指纹板

CREATING TIMELESS ELEGANCE

柔润致雅，释放美好

与光影共舞，于指尖悦动
以细腻之触，探寻每一份温柔
让每一处细节都如诗如画
尽显优雅而从容


Dancing with light and shadow
Leaping at your fingertips
Exploring gentle beauty with a delicate touch
Blooming poetic strokes in each detail
Painting grace and ease





爱克®高压装饰耐火板-Veltouch®洁柔抗指纹板由特殊表面功能层、浸渍装饰纸和浸渍牛皮纸经高温高压制成。具有柔滑触感、低光反射、超哑光泽、抗指纹等特点。

Veltouch® is composed of performance overlay and melamine-impregnated decorative surface papers superimposed over kraft papers to achieve a desired thickness. It achieves the luxury design with a low-sheen, velvet touch ultra-matte finish, but also the excellent performance with anti-fingerprint.



Performances

性能



柔滑触感
Smooth Texture



抗指纹
Anti fingerprint



低光反射
Low Reflection



耐污染*
Stain Resistance



耐磨损
Wear Resistance



耐刻划
Scratch Resistance

*耐污染试验试剂 →

- 清洁消毒剂: 84消毒水、3%双氧水、75%酒精、13%次氯酸钠、肥皂液
- 食品: 天然果蔬汁、动植物脂肪和油、咖啡、红茶、牛奶、食盐溶液
- 其他: 指甲油清洗剂、唇膏、水彩、护手霜

*Stains →

- Detergent-sanitizer: 84 disinfectant fluid, 3% hydrogen peroxide, 75% alcohol, 13% sodium hypochlorite, liquid soap
- Foodstuff: natural fruit and vegetable juice, animal and plant fats and oils, coffee, black tea, milk, salt solution
- Others: nail polish remover, lipstick, watercolour, hand cream

(24-hour test, no significant changes were observed on the Veltouch surface.)

- + 抗指纹性: 不易残留指痕, 更易于清洁维护
- + 低光反射: 表面光泽度低, 营造超哑光视觉体验
- + 肤感表面: 柔滑触感, 带来温暖、自然和舒适的感受
- + 耐用性: 持久的表面性能提升长期的客户体验

- + Anti-fingerprint: hard to leave fingerprints, and easy to clean and maintain.
- + Low reflection: a smooth textured finish with low reflective value.
- + Velvet touch: delivers a feeling of warm, nature and comfort you can count on.
- + Endurance: enduring surface performance to enhance customer experience with long service year.



Specifications

规格

尺寸 Size	4'x8' (1220mmx2440mm) 4'x10' (1220mmx3050mm)
厚度 Thickness	1.0mm



Product Applications

产品应用

- 适用于零售、酒店、办公、住宅空间中的高接触区域
- 适用于平面及立面应用方式, 如墙面、台面、橱柜门、室内门等
- 可根据不同预算及产品应用场所, 使用不同基材, 推荐使用密度板、刨花板、胶合板

- Suitable for high-contact spaces: retail, hotel, office, residence etc.
- Suitable for use on vertical and horizontal surface: walls, cabinets, countertops, interior doors etc.
- Flexible choice of substrate of MDF, particle board and plywood board based on different applications.

胶合板(多层板)

Plywood board



刨花板(颗粒板)

Particle board



纤维板(密度板)

MDF



墙面
Walls



陈设/收纳柜
Cabinets



桌/椅
Countertops /
chairs



室内门
Interior doors




Color Selections


色彩

*颜色仅供参考，请以实样为准。

The colors are for reference only. Please refer to the actual samples.



D354-20-TS
装饰白 Designer White



1573-20-TS
霜白 Frosty White



Z070-20-TS
清灰 Grayish



Z071-20-TS
浅锖灰 Ge Gray



D90-20-TS
北海灰 North Sea




0103-20-TS
哥特灰 Gothic Gray



D206-20-TS
黎明黑 Dark Gray



1595-20-TS
纯黑 Black



S193-20-TS
雅棕柚 Elegance Teak



S184-20-TS
弗德拉胡桃木 Dark Fedara



0123-20-TS
醇米 Creme



D96-20-TS
影灰 Shadow



0340-20-TS
菊橙 Zinnia



Z077-20-TS
瓦橘 Shingle Orange



D14-20-TS
酒红 Port




Z078-20-TS
深思红 Deep Red




0088-20-TS
巧克力色 Dark Aubergine



0520-20-TS
海狸褐 Beaver



P043-20-TS
哥伦比亚胡桃木 Colombian Walnut



7949-20-TS
亚洲一夜 Asian Night



Z072-20-TS
蔚水蓝 Light Blue



Z054-20-TS
浅青苔 Lichen



Z074-20-TS
草绿 Grass



Z075-20-TS
祖母绿 Emerald




D482-20-TS
深墨绿 Black Forest




D25-20-TS
藏青 Atlantis




D91-20-TS
铁灰 Slate Gray



0547-20-TS
深巧克力 Dark Chocolate



4118-20-TS
典雅胡桃木 Elegant Walnut



S188-20-TS
托佩亚橡木 Tropea Oak

可提供ABS树脂封边条：宽-2.3cm，厚-1mm。
Supply with ABS edge band: Width-2.3cm, thickness-1mm.

Cleaning & Maintenance Guidelines

日常清洁维护

产品表面上轻微的浅色划痕可以用白色的三聚氰胺泡沫橡皮去除。

一般污渍请使用干净的软布或者海绵清洁表面，配合使用温水，轻柔摩擦，最后用干净的软布擦干整个表面。

对于较难清洁的污渍，比如咖啡、果汁、茶、动植物油脂、唇膏、水彩，可以使用肥皂液或家用清洁剂（务必按照家用清洁剂的使用说明安全操作），配合干净的软布或海绵轻柔摩擦，然后用大量温水冲洗，最后用干净的软布擦干整个表面。

以上方式不能清洁的顽固污渍，也可以使用丙酮（务必按照丙酮的使用说明安全操作），配合干净的软布或三聚氰胺海绵轻柔摩擦，然后用大量温水冲洗，最后用干净的软布擦干整个表面。

由于Veltouch洁柔抗指纹板的特殊表面结构，需要定期按照上述说明进行表面清洁，并使用大量温水冲洗，避免污垢和清洁剂残留在结构中。

注意事项 / Precautions

不能使用研磨型清洁剂、钢丝球、硬毛刷擦洗表面，以避免导致表面斑驳。

表面长时间接触漂白型清洁剂，会导致褪色，因此在清洁后一定要用大量温水冲洗表面，然后用干净的软布擦干。如果没有冲洗干净，少量残留在表面，也会造成损坏和污染。

强染色物质可能会在产品表面留下污渍，为避免永久染色，必须立即清除。

烤盘和其他加热电器（比如电加热煎锅）直接放置在产品表面上，会损坏产品美观。请使用隔热垫或者金属架放置。

Veltouch®洁柔抗指纹板仅适供室内使用，请勿将其长时间置于极端湿度或温度高于135°C的环境中，以及连续强烈的阳光直射下。

Minor light scratches on the surface can be removed with a white melamine foam eraser.

For general stains, use a clean, soft cloth or sponge with warm water. Gently rub the surface, then wipe dry with another clean, soft cloth.

For tougher stains such as coffee, juice, tea, animal or vegetable fats, lipstick, and watercolors, apply a solution of soap or household cleaner (always follow the safety instructions of the cleaner) with a clean, soft cloth or sponge. Rub gently, then rinse thoroughly with warm water and wipe dry with a clean, soft cloth.

If the above methods do not remove stubborn stains, you can use acetone (strictly follow the safety instructions of acetone) with a clean, soft cloth or melamine sponge. Rub gently, rinse thoroughly with warm water, and wipe dry with a clean, soft cloth.

Due to the unique surface structure of Veltouch®, it's necessary to regularly clean the surface as per the above guides and rinse thoroughly with warm water to prevent dirt and cleaner residue.

Avoid using abrasive cleaners, steel wool, or hard-bristled brushes to prevent surface discoloration or scratches.

Prolonged contact with bleach-based cleaners can cause discoloration. Always rinse the surface thoroughly with warm water after cleaning and wipe dry. Residual cleaner, even in small amounts, can cause damage or staining if not rinsed properly.

Strongly staining substances may leave marks on the surface. Prompt removal is necessary to avoid permanent staining.

Do not place hot pans or other heating appliances (e.g., electric skillets) directly on the surface as it may damage the appearance. Use heat shields, hot pads, or trivets.

Veltouch® is intended for indoor use only. Avoid prolonged exposure to extreme humidity, temperatures above 135°C, or direct and continuous sunlight.









Space Show

空间展示

 Veltouch




办公 OFFICE

赛乐有限公司新办公大楼 SELLERS COMPANY LIMITED, NEW OFFICE BUILDING

設計 - 株式会社 セラーズ一級建築士事務所

撮影 - Kenji MASUNAGA



办公 OFFICE

英菲尼迪有限公司办公楼一楼 INFINITY COMPANY LIMITED, OFFICE 1F

設計 - イクス 株式会社
施工 - インフィニティ株式会社




办公 OFFICE

丰田研究中心 - 高级开发公司 TRI-AD (TOYOTA RESEARCH INSTITUTE-ADVANCED DEVELOPMENT, INC.)

设计 - 株式会社 日建設計、株式会社 日建スペースデザイン

摄影 - 永禮 賢



医疗 HOSPITALITY

菊川内科医院 JIKAWA INTERNAL MEDICINE HOSPITAL

設計 - 小舎ノ工房 一級建築士事務所
撮影 - 笹倉洋平



住宅 RESIDENTIAL

塔卡蒂之家 TAKATSUKI-HOUSE

設計 - ALTS DESIGN OFFICE

撮影 - ドローンITP企画




商业 COMMERCIAL

泰迪芭蕾舞室 TEDDY'S BALLET

設計 - ODS / 鬼木デザインスタジオ

撮影 - 太田 拓美



商业 COMMERCIAL

尼布亚纳大阪店 NUBIAN OSAKA

設計 - トラフ建築設計事務所
撮影 - 阿野太一



商业 COMMERCIAL

TALKS咖啡吧 TALKS cafe & bar

設計 - Reco
撮影 - 山田 洋佑

爱克威盛亚新材料(上海)有限公司

地址: 上海市徐汇区田林路105号虹梅国际广场902室

电话: 86-21-64397070

爱克威盛亚新材料(上海)有限公司北京分公司

地址: 北京市朝阳区农展馆南路13号瑞辰国际中心3层319室

电话: 86-10-65981686

爱克威盛亚新材料(上海)有限公司广州分公司

地址: 广州市中山三路33号中华国际中心B座1402室

电话: 86-20-37620322

爱克威盛亚新材料(上海)有限公司深圳分公司

地址: 深圳市罗湖区笋岗东路3019号百汇大厦北座15A室

电话: 86-755-82197959

Aica Wilsonart (Shanghai) Co., Ltd. Overseas Business Division

No. 1688, Songhua Rd., Shanghai, China, 201706

Tel: 86-21-67001688

爱克威盛亚亚洲有限公司

地址: 香港九龙长沙湾道778-784号香港中心16楼08室

电话: 852-23703899

400-820-9418

www.aica-wilsonart.com.cn



爱克威盛亚
工程饰材微信公众号



爱克威盛亚
工程台面微信公众号



© 爱克威盛亚新材料(上海)有限公司
© AICA Wilsonart (Shanghai) Co., Ltd. VC202507A



爱克威盛亚·空间整体饰材
Wilsonart Asia-Pacific by AICA Group

— 爱克集团 —